

**World Veterans Individual Match**

**D'gall Lovell DT DM Alex DC Times Wimb Doyle St. G. Queens Corp POW**

**A Large N.R.A. Gold Medal and £40.00**

1 Mr EE Stigant X 49.7v 50.7v 73.9v 73.6v 48.4v 48.8v 50.8v 47.4v 49.2v 74.8v 103.12v 46.2v 69.5v 779.82v

**A Large N.R.A. Silver Medal and £20.00**

2 Mr BA Rollins X 49.5v 44.3v 73.8v 74.10v 50.6v 48.2v 50.7v 48.5v 49.6v 74.9v 101.13v 44.1v 74.11v 778.86v

**A Large N.R.A. Bronze Medal and £10.00**

3 Mr AG Mitchell A 48.3v 45.4v 74.7v 73.7v 47.4v 48.5v 49.7v 49.4v 49.4v 72.7v 103.12v 45.3v 73.6v 775.73v

**Winners of an N.R.A. Bronze Medal and £5.00**

4 Mr MJM Black X 47.5v 43.4v 71.6v 73.8v 49.7v 48.4v 49.5v 47.4v 48.4v 74.9v 104.9v 48.4v 73.6v 774.75v  
 5 Mr RJ van Rensburg O 49.6v 46.4v 72.10v 74.12v 49.8v 47.4v 48.4v 49.4v 49.3v 74.7v 102.13v 41.0v 73.8v 773.83v  
 6 Mr BHG Boehme A 49.5v 44.7v 71.6v 74.9v 49.5v 46.3v 49.1v 46.3v 48.4v 74.11v 104.14v 48.5v 70.5v 772.78v  
 7 Mr PW Medhurst O 48.3v 45.2v 68.8v 71.9v 48.3v 46.3v 48.8v 46.4v 50.3v 75.7v 104.15v 48.3v 75.8v 772.76v  
 8 Mr J Howard Davies A 49.4v 46.3v 70.4v 73.8v 49.4v 49.5v 50.8v 46.6v 43.5v 75.8v 101.10v 47.4v 73.5v 771.74v  
 9 Mr JH Franklin X 48.6v 46.5v 72.3v 72.7v 48.4v 45.4v 49.5v 48.5v 48.4v 75.12v 103.11v 44.2v 73.6v 771.74v  
 10 PB Church X 49.8v 45.2v 72.6v 74.8v 50.6v 45.2v 50.5v 49.5v 49.4v 75.11v 102.7v 42.2v 69.6v 771.72v  
 11 Prof AR Horrocks X 44.3v 48.2v 73.6v 73.10v 48.3v 46.3v 50.8v 47.2v 47.5v 73.11v 103.11v 45.1v 74.6v 771.71v  
 12 Mr M Dunia X 48.4v 46.2v 74.6v 75.12v 48.5v 47.6v 48.6v 48.5v 47.5v 72.8v 105.11v 48.5v 64.4v 770.79v  
 13 Mr CC Mallett Jnr X 47.1v 42.2v 72.6v 71.6v 49.6v 48.3v 49.7v 49.5v 48.4v 74.10v 104.12v 43.2v 74.6v 770.70v  
 14 Mr J Payne X 47.4v 45.1v 72.6v 75.13v 47.4v 49.4v 49.7v 50.5v 48.3v 73.6v 99.8v 45.3v 70.3v 769.67v  
 15 Eur Ing CA Painting A 48.4v 46.1v 69.5v 72.7v 46.5v 50.4v 49.6v 49.7v 42.4v 74.11v 105.16v 46.2v 72.9v 768.81v  
 16 Mr RA Pitcairn X 48.3v 49.4v 73.6v 72.8v 49.2v 45.3v 48.5v 48.3v 48.3v 74.5v 98.14v 47.6v 69.6v 768.68v  
 17 Mr CN McEachran O 49.2v 43.2v 72.7v 73.7v 49.5v 46.1v 49.6v 50.6v 46.3v 74.7v 97.10v 47.7v 72.7v 767.70v  
 18 Mr GV Barnard O 45.3v 46.2v 74.8v 73.7v 48.5v 49.3v 43.1v 45.4v 50.6v 73.9v 98.7v 48.5v 74.8v 766.68v  
 19 Mr JF Jackman O 50.4v 43.1v 71.6v 72.5v 48.4v 48.2v 47.6v 48.5v 47.5v 74.10v 100.9v 46.3v 72.4v 766.64v  
 20 Mr J Holmes O 47.7v 44.5v 72.6v 71.10v 47.3v 49.2v 49.5v 48.5v 48.4v 72.9v 101.4v 43.2v 74.6v 765.68v

**Next Best Scores**

21 Mr JH Grobler O 48.4v 48.2v 73.8v 71.4v 44.3v 49.3v 49.6v 49.5v 48.5v 70.9v 100.10v 46.3v 70.4v 765.66v  
 22 R Modenbach X 49.4v 44.2v 73.6v 74.8v 49.2v 44.2v 46.2v 47.4v 48.4v 72.7v 102.13v 47.4v 70.6v 765.64v  
 23 Mr K Westling X 49.4v 40.2v 73.12v 75.11v 45.1v 50.7v 49.6v 48.7v 48.7v 73.5v 99.10v 46.5v 69.6v 764.83v  
 24 Mr H Woolschot O 50.7v 42.2v 69.6v 72.5v 44.2v 48.6v 49.2v 50.5v 48.3v 73.9v 103.12v 48.6v 68.7v 764.72v  
 25 Mr GRH Smith X 48.3v 48.4v 73.9v 72.8v 47.3v 47.3v 48.4v 46.4v 44.2v 73.8v 103.11v 44.3v 71.5v 764.67v  
 26 Col CE Schulenburg X 46.3v 48.7v 71.7v 72.5v 48.4v 46.2v 49.5v 48.5v 48.3v 73.8v 99.8v 45.2v 71.5v 764.64v  
 27 Lt Cdr RJF Dawson X 50.5v 45.1v 72.5v 73.8v 45.2v 47.4v 49.6v 45.3v 48.2v 74.7v 102.9v 41.1v 73.7v 764.60v  
 28 J Gaines X 41.3v 47.1v 72.8v 74.5v 47.5v 47.1v 48.5v 46.4v 48.4v 74.9v 100.8v 46.3v 73.6v 763.62v  
 29 Mr JG Powell O 45.4v 46.0v 69.5v 72.7v 47.5v 46.2v 48.6v 49.3v 47.2v 73.10v 101.13v 45.4v 74.10v 762.71v  
 30 Mr J Dunn O 49.5v 43.1v 70.5v 73.11v 49.6v 49.5v 49.6v 48.6v 46.4v 72.6v 102.9v 41.1v 71.3v 762.68v  
 31 GL Tierney X 48.5v 45.2v 70.3v 74.7v 48.5v 45.2v 50.3v 49.7v 41.2v 74.11v 104.13v 43.4v 70.3v 761.67v  
 32 Mr DJ Biggs X 47.4v 43.1v 69.5v 74.6v 50.7v 46.4v 47.4v 49.4v 47.4v 71.3v 98.9v 48.6v 72.3v 761.60v  
 33 Mr RGM Newman A 48.3v 43.2v 70.4v 72.6v 49.5v 43.0v 50.6v 47.4v 49.3v 72.7v 100.7v 44.3v 74.6v 761.56v  
 34 Mr SE Frost X 47.5v 40.1v 71.7v 72.8v 50.6v 45.4v 46.3v 49.4v 48.7v 70.5v 104.12v 45.3v 73.6v 760.71v  
 35 Lt Col CCC Cheshire A 47.5v 42.2v 69.6v 72.6v 49.4v 48.4v 49.6v 46.4v 47.4v 74.6v 103.14v 42.0v 72.6v 760.67v  
 36 Mr CTS Belk X 47.2v 45.3v 71.6v 70.6v 50.6v 48.2v 49.6v 50.7v 42.0v 74.6v 103.12v 39.1v 72.7v 760.64v  
 37 Mr RJ Van Lingen A 48.1v 38.1v 69.6v 73.6v 49.4v 48.2v 47.7v 50.5v 47.3v 72.6v 104.13v 46.1v 69.2v 760.57v  
 38 Mr SJ Pattinson O 48.6v 46.3v 73.8v 72.7v 47.3v 49.6v 48.3v 46.2v 46.1v 73.10v 99.10v 41.1v 71.8v 759.68v  
 39 Mr DGW Gladwin A 47.4v 45.2v 74.6v 67.4v 48.4v 45.1v 47.5v 50.7v 48.4v 70.7v 102.8v 48.6v 68.4v 759.62v  
 40 Mr RGK Matthews O 49.2v 43.2v 74.6v 74.7v 47.3v 47.0v 50.5v 46.5v 46.2v 72.6v 101.8v 44.4v 66.3v 759.53v  
 41 Mr MR Cosway X 48.4v 47.2v 73.7v 74.8v 48.6v 50.6v 49.5v 49.6v 43.1v 72.9v 101.10v 34.0v 69.8v 757.72v  
 42 Mr RJ Coffin O 47.5v 48.2v 73.7v 72.6v 48.6v 44.2v 48.2v 45.2v 47.3v 70.4v 102.13v 47.4v 66.3v 757.59v  
 43 Mr WF De Beer O 46.3v 47.3v 72.8v 72.5v 46.4v 47.0v 45.3v 49.5v 45.2v 73.9v 97.8v 42.1v 75.4v 756.55v  
 44 Mr AG Peden X 48.3v 49.4v 68.4v 71.4v 47.5v 41.1v 48.5v 46.1v 48.3v 71.8v 100.8v 46.1v 73.7v 756.54v  
 45 SJ Van Ness Jr X 48.6v 48.3v 67.8v 74.8v 47.6v 49.6v 49.5v 43.3v 47.5v 71.8v 103.9v 42.1v 67.7v 755.75v  
 46 Mr RBC Baker X 48.5v 45.3v 71.3v 68.7v 48.5v 49.3v 49.6v 46.4v 44.0v 72.7v 100.13v 40.2v 75.8v 755.66v  
 47 Dr JW Dyas O 46.4v 47.5v 72.1v 71.5v 42.1v 46.2v 48.3v 49.7v 45.2v 74.6v 100.7v 42.0v 73.6v 755.49v  
 48 Mr JE Scobie O 45.4v 45.3v 74.8v 70.6v 47.4v 47.2v 48.3v 49.5v 44.1v 70.6v 103.11v 44.2v 68.2v 754.57v  
 49 S Riles X 46.3v 39.0v 72.8v 70.7v 49.7v 49.4v 48.7v 49.3v 48.3v 73.10v 101.9v 41.1v 67.4v 752.66v  
 50 Capt RG Skelton A 48.3v 44.3v 71.6v 70.7v 47.3v 46.5v 48.6v 48.5v 48.1v 72.5v 102.14v 43.2v 65.5v 752.65v  
 51 Mr DP Cole A 50.5v 43.3v 71.8v 72.7v 48.4v 47.4v 48.5v 50.5v 44.1v 73.9v 102.11v 39.0v 65.3v 752.65v  
 52 Mr RS Pool O 44.2v 50.4v 70.3v 70.4v 49.5v 46.5v 46.2v 49.3v 45.3v 71.8v 102.12v 39.1v 71.5v 752.57v  
 53 Mr AC Grant O 48.4v 41.0v 74.9v 69.2v 48.2v 47.2v 48.3v 47.4v 47.1v 69.7v 102.9v 40.0v 72.9v 752.52v  
 54 MW Mayo X 48.5v 44.3v 68.2v 72.7v 47.5v 48.3v 48.3v 47.3v 48.3v 73.8v 98.7v 43.1v 66.5v 750.55v  
 55 Mr TI Fouche O 47.3v 43.0v 68.4v 69.3v 49.4v 46.5v 48.7v 49.4v 46.1v 71.4v 102.13v 39.1v 72.9v 749.58v  
 56 Mr A Robertson O 47.4v 42.4v 74.9v 68.3v 45.3v 46.5v 48.5v 43.2v 48.3v 73.4v 99.7v 42.1v 74.5v 749.55v  
 57 L Col WJ Molnar X 48.4v 38.1v 72.8v 69.4v 45.5v 48.7v 47.2v 48.6v 47.2v 73.12v 103.10v 38.2v 72.7v 748.70v  
 58 Mr CHE Hawthorne O 48.5v 45.2v 71.5v 69.2v 48.4v 47.5v 49.5v 48.5v 46.2v 67.1v 101.10v 36.0v 73.6v 748.52v  
 59 Mr DRS George A 47.3v 43.1v 71.4v 68.5v 47.4v 47.4v 48.4v 47.2v 47.4v 72.8v 102.12v 37.0v 71.5v 747.56v  
 60 Mr J Tuffen O 46.5v 48.4v 71.5v 73.3v 49.4v 45.3v 47.4v 47.2v 46.3v 68.5v 99.10v 36.1v 72.4v 747.53v  
 61 Mr DL Wiles A 47.2v 43.0v 73.5v 71.7v 48.4v 48.4v 49.5v 47.4v 41.1v 70.5v 101.9v 42.1v 67.4v 747.52v  
 62 Mr ID Macdonald O 49.4v 47.5v 71.7v 70.5v 44.2v 46.5v 48.5v 46.3v 46.3v 71.6v 97.6v 41.2v 70.4v 746.57v  
 63 WL Hammers X 45.3v 46.3v 70.5v 67.1v 47.5v 49.6v 45.3v 46.2v 47.5v 71.7v 100.9v 46.3v 66.3v 745.55v  
 64 AJ Coello X 48.6v 44.1v 70.4v 69.5v 47.5v 47.4v 44.3v 49.4v 48.4v 65.7v 98.8v 46.1v 69.4v 744.56v  
 65 Mr W Schattenberg X 44.3v 42.2v 70.4v 68.3v 44.3v 47.5v 49.5v 47.5v 48.4v 71.7v 99.7v 46.4v 69.3v 744.55v  
 66 Mr WT Bridger A 47.3v 41.2v 69.6v 71.4v 46.3v 44.4v 47.4v 48.3v 48.5v 73.4v 98.9v 43.1v 69.6v 744.54v  
 67 Mr T Horsfield O 45.0v 33.1v 71.2v 71.3v 47.3v 45.2v 49.8v 49.2v 48.1v 71.6v 102.12v 42.2v 71.6v 744.48v  
 68 Mr RH Sinclair O 45.5v 47.2v 67.3v 69.4v 48.6v 46.4v 49.4v 47.3v 42.3v 72.8v 97.7v 44.3v 69.5v 742.57v  
 69 Mr DJ Painting O 45.3v 41.0v 71.3v 71.7v 46.6v 46.3v 46.4v 49.6v 45.4v 71.8v 99.9v 41.0v 71.4v 742.57v  
 70 Mr EM Brice O 46.4v 44.4v 71.6v 68.4v 49.3v 40.2v 48.6v 48.5v 49.3v 67.3v 98.8v 40.2v 74.6v 742.56v  
 71 Mr RG Hilyard O 48.5v 47.3v 71.4v 71.7v 48.2v 45.3v 49.7v 46.3v 45.5v 70.4v 93.5v 42.1v 67.4v 742.53v  
 72 Mr JL Fong Yew O 46.3v 44.3v 71.7v 69.4v 45.2v 45.2v 50.7v 45.3v 46.3v 68.3v 98.9v 44.1v 70.7v 741.54v  
 73 Mr JS Bennett O 48.3v 40.2v 70.5v 72.5v 48.5v 47.4v 48.2v 48.2v 43.2v 69.7v 103.11v 34.0v 71.4v 741.52v  
 74 Mr AK Fitch O 46.2v 45.2v 71.6v 67.2v 47.5v 38.1v 47.3v 43.1v 48.4v 68.3v 101.7v 47.4v 68.3v 736.43v

75	Mr P Jacques	O	45.1v	44.2v	68.2v	69.6v	41.2v	47.3v	49.6v	43.2v	45.2v	70.5v	100.8v	46.4v	66.2v	733.45v
76	Lt Col PG Slabber	O	46.4v	41.1v	72.5v	69.6v	49.7v	39.1v	47.2v	46.2v	45.5v	67.6v	99.6v	43.1v	69.6v	732.52v
77	Mrs P Dahlstrom	O	43.3v	39.1v	72.8v	69.5v	45.1v	45.4v	49.6v	46.2v	44.3v	72.8v	98.5v	40.2v	69.5v	731.53v
78	Mr JAP Du Toit	X	48.3v	41.1v	72.5v	72.7v	39.0v	47.3v	49.6v	46.4v	44.4v	66.7v	94.8v	44.2v	67.6v	729.56v
79	Mr AME Adams	O	30.2v	45.3v	71.7v	69.6v	48.6v	47.4v	46.3v	47.2v	43.2v	68.5v	101.7v	45.2v	68.5v	728.54v
80	Mr PJ Hearle	O	44.4v	44.4v	65.3v	69.3v	46.3v	48.7v	44.3v	44.3v	48.4v	63.5v	99.5v	43.2v	68.6v	725.52v
81	Mr E Stuart-Bamford	O	49.6v	44.3v	68.3v	66.5v	47.5v	45.2v	48.7v	42.2v	49.5v	67.4v	98.4v	34.0v	67.3v	724.49v
82	Col CH Le Roux	O	45.3v	42.2v	67.4v	66.2v	46.3v	48.4v	45.3v	45.2v	43.0v	72.6v	98.9v	36.0v	70.4v	723.42v
83	Mr DM Jory	X	45.4v	42.2v	68.5v	69.3v	46.3v	44.4v	39.0v	49.7v	46.3v	69.6v	92.5v	39.2v	71.6v	719.50v
84	Mr DF Robinson	O	47.4v	42.2v	72.8v	65.4v	45.1v	42.1v	47.1v	40.0v	48.3v	65.2v	98.7v	40.0v	68.5v	719.38v
85	Mr DR Niblett	O	47.3v	44.4v	73.5v	68.5v	46.3v	45.6v	49.3v	49.4v	45.4v	72.7v	96.6v	14.1v	69.4v	717.55v
86	Mr RJJ van Vuuren	O	46.4v	48.4v	71.6v	72.8v	46.2v	47.4v	49.6v	46.2v	48.6v	73.6v	97.5v	0.0v	72.8v	715.61v
87	Mr BS Joubert	O	44.2v	43.2v	67.4v	64.6v	47.2v	46.2v	46.4v	50.7v	48.2v	72.7v	86.3v	41.2v	56.0v	710.43v
88	M Tilton	X	33.0v	43.0v	66.2v	68.1v	46.4v	45.1v	40.0v	46.3v	46.2v	67.2v	101.3v	41.2v	67.5v	709.25v
89	Mr WA O'Dair	O	42.0v	41.2v	62.2v	67.1v	43.0v	46.2v	40.3v	44.2v	43.2v	73.5v	97.8v	43.2v	63.2v	704.31v
90	Mr AJ Le Sueur	X	49.6v	32.0v	69.5v	73.10v	46.4v	48.1v	47.6v	45.1v	38.1v	70.6v	65.3v	48.3v	70.5v	700.51v
91	Mr JM Buchanan	O	48.4v	44.1v	69.5v	66.3v	46.6v	40.1v	44.3v	49.6v	38.0v	66.4v	100.8v	27.0v	63.6v	700.47v
92	Mr BW Cairns	O	45.3v	44.2v	71.5v	67.3v	49.3v	43.0v	46.3v	44.1v	43.2v	69.3v	0.0v	43.2v	72.7v	699.35v
93	Mr AJD Saunders	O	37.0v	40.0v	70.4v	69.9v	44.3v	43.2v	49.6v	46.2v	46.4v	69.5v	97.10v	13.0v	69.6v	692.51v
94	H Kamp	X	49.5v	43.0v	71.7v	66.3v	47.4v	44.2v	48.4v	47.3v	40.0v	67.5v	102.8v	0.0v	68.4v	692.45v
95	Mr M Tompkins	X	49.6v	42.1v	69.7v	68.4v	46.2v	48.8v	49.8v	49.3v	45.2v	74.7v	104.15v	46.5v	0.0v	689.68v
96	K Winter	X	43.3v	34.1v	63.3v	67.6v	45.2v	44.4v	34.2v	42.1v	45.4v	66.1v	95.6v	44.1v	65.5v	687.39v
97	Gen EA Venter	X	48.8v	48.5v	74.11v	71.4v	46.1v	46.5v	48.2v	48.4v	46.1v	73.9v	99.8v	35.1v	0.0v	682.59v
98	Mr CA Ganter	X	48.3v	46.1v	69.4v	68.4v	49.4v	47.2v	48.4v	44.2v	46.2v	71.6v	101.13v	43.2v	0.0v	680.47v
99	Mr CS O'Brien	O	48.5v	46.5v	73.5v	71.4v	45.2v	45.3v	49.6v	44.2v	44.0v	71.9v	101.11v	42.1v	0.0v	679.53v
100	Mr AJ Bryant	O	46.3v	48.0v	69.0v	63.3v	41.3v	44.3v	40.3v	46.2v	46.3v	71.9v	96.5v	0.0v	64.5v	674.39v
101	Mrs MA Skelton	T	39.0v	33.1v	68.5v	65.4v	46.3v	32.1v	43.2v	42.0v	47.2v	65.3v	87.3v	40.1v	65.4v	672.29v
102	Mr WK Dunlap	X	47.3v	39.1v	68.3v	68.4v	48.6v	42.4v	47.4v	47.4v	44.3v	70.9v	0.0v	40.2v	69.5v	662.50v
103	Mr IH Rayner	O	46.4v	45.3v	0.0v	70.6v	45.5v	42.5v	47.4v	47.3v	46.5v	70.4v	100.9v	49.5v	53.2v	660.55v
104	H Konrad	X	38.0v	39.1v	66.4v	58.2v	39.0v	41.2v	40.0v	40.1v	39.1v	61.2v	94.6v	40.0v	63.2v	658.21v
105	Mr AE Le Page	X	46.5v	47.1v	70.5v	69.6v	39.0v	47.3v	45.2v	45.2v	47.4v	68.6v	97.5v	36.0v	0.0v	656.39v
106	H Kremer	X	40.1v	28.0v	63.0v	67.0v	37.0v	23.0v	48.4v	41.1v	37.1v	67.4v	94.7v	40.0v	63.1v	648.19v
107	Mr G Fudger	O	47.5v	48.3v	71.5v	69.7v	49.6v	49.6v	49.7v	39.3v	47.3v	72.2v	61.4v	39.0v	0.0v	640.51v
108	W Lair	X	44.6v	38.2v	67.4v	72.6v	47.5v	35.1v	46.3v	48.4v	45.2v	0.0v	86.8v	36.2v	68.4v	632.47v
109	Cdr RH Edwardes-Evans	O	44.2v	40.2v	64.1v	70.5v	45.2v	44.1v	46.3v	49.6v	43.0v	70.6v	93.7v	15.0v	0.0v	623.35v
110	Mr IF Coventry	O	42.2v	38.2v	65.3v	62.3v	43.3v	40.2v	44.3v	37.0v	36.0v	62.1v	0.0v	38.2v	58.2v	623.27v
111	Mr PE Hammond	O	32.1v	42.1v	65.4v	64.2v	45.1v	38.1v	41.2v	34.0v	0.0v	57.1v	88.2v	37.0v	65.3v	608.18v
112	Mr RJ Gamboa	X	49.3v	46.5v	71.6v	72.8v	47.3v	44.2v	50.6v	47.5v	46.4v	73.11v	0.0v	27.0v	0.0v	605.55v
113	Mr M Forrest-Browning	X	39.7v	44.3v	71.8v	67.4v	44.2v	39.0v	43.3v	46.2v	44.2v	66.6v	99.6v	0.0v	0.0v	602.43v
114	Mr ME Barr	O	49.6v	42.2v	49.3v	71.5v	49.6v	48.6v	48.5v	48.5v	46.3v	73.8v	0.0v	44.3v	0.0v	600.56v
115	Mr JA Roach	O	45.4v	40.2v	70.4v	70.5v	49.4v	45.3v	43.2v	44.1v	26.1v	71.9v	97.6v	0.0v	0.0v	600.41v
116	AC Greyling	O	44.2v	46.4v	73.11v	70.5v	47.4v	46.3v	47.5v	46.3v	44.1v	72.6v	0.0v	0.0v	0.0v	592.49v
117	H Ohlsen	X	45.3v	38.1v	71.5v	69.6v	41.1v	40.1v	45.2v	47.4v	45.2v	66.3v	0.0v	0.0v	65.2v	572.30v
118	H Mruck	X	42.3v	39.1v	64.2v	0.0v	38.1v	32.3v	8.0v	38.0v	41.3v	64.2v	85.4v	42.2v	58.0v	551.21v
119	Mr PJ Amy	X	46.2v	41.2v	66.2v	0.0v	43.3v	0.0v	47.2v	43.4v	47.4v	63.4v	93.4v	0.0v	55.4v	544.31v
120	Mr RJ Hordle	X	45.2v	36.0v	72.10v	0.0v	42.4v	44.3v	44.3v	39.2v	35.0v	64.4v	96.7v	0.0v	0.0v	517.35v
121	Mr PE Page	X	39.0v	27.2v	67.3v	72.3v	42.0v	48.6v	42.2v	42.4v	40.1v	64.1v	0.0v	0.0v	0.0v	512.24v
122	Mr DG Daines	X	41.0v	33.0v	69.1v	69.3v	44.2v	46.0v	44.1v	42.2v	43.2v	63.3v	0.0v	0.0v	0.0v	494.14v